




2 Red Pattern

E1RD Red



Light Blue




Blue Pattern



Grey





Black





Brown



Burgundy



Navy



E1FG Grey Purple

Options


Choose the Extol options that best fit your space and needs including: seat width, back pitch, floor slope, tablet arms, ADA access, row markers, seat numbers, aisle lights and design/finish options.



Comfortable seats are available in five widths.



Seat back can be set at three different pitches: 16, 20, or 24 degrees.



Uprights can be mounted on sloped floors from 0 to 9 degrees.



Tablet arms (left or right) provide convenient writing surfaces and store out of the way.



Flip-up arm accommodates ADA access.



Wood, plastic, or laminate end panels enhance aesthetics.



Armrests are available in wood, plastic, or plastic cupholder styles.



Optional row markers and seat numbers improve wayfinding.

Wood Finishes



Teak

XWT

Walnut



Laminate Finishes



Beech






Black

NOTE: wood Walnut finish does NOT match laminate Walnut finish.

Dimensions



Seat Tag	А	В	С
20	20"	19-3/4"	17-5/8"
21	21"	19-3/4"	17-5/8"
22	22"	19-3/4"	17-5/8"
23	23"	22-3/4"	20-5/8"
24	24"	22-3/4"	20-5/8"

HI	Floor Mounting Plate	10-1/4"
H2	Upright	3"
H3	Bolt Holes	8-5/8"
H4	Seat Pivot Point to Seat Front	10"
H5	Seat Bolted Forward Position	16 deg. 16"
H6	Seat Bolted Mid Position	20 deg. 17-1/4"
H7	Seat Bolted Back Position	24 deg. 18-1/2"
H8	Seat Back to Seat Front	28-1/2"
H9	Upright Thickness	1"
HI0	Upright Base Width	2"
HII	Armcap Protruding from Front	
	Upright Frame	
	- Plastic	4-5/8"
	- Wood	5"
	- Cupholder Plastic	8-3/8"
HI2	Outer Edge of Armcap to	
	Centerline of Upright	
	- Plastic or Wood	1-1/8"
	- Cupholder Plastic	I-3/4"

VI	Floor to Bottom of Seat - Down Position	9-1/8"
V2	Floor to Top of Flat Plastic Armcap	24"
V3	Floor to Top of Seat Back - Mid Position	34-5/8"

ΗΙ	Floor Mounting Plate	10-1/4"
H2	Upright	3"
H3	Bolt Holes	8-5/8"
H4	Seat Pivot Point to Seat Front	10"
H5	Seat Bolted Forward Position	16 deg. 16"
H6	Seat Bolted Mid Position	20 deg. 17-1/4"
H7	Seat Bolted Back Position	24 deg. 18-1/2"
H8	Seat Back to Tablet Front	32-3/4"
H9	Upright Thickness	T"
HI0	Upright Base Width	2"
HII	Seat Plvot Point to Front	9-1/4"
	Protrusion of Tablet Arm	
HI2	Center of Upright to Tablet	2-1/2"
	Outer Edge	
HI3	NA	NA
HI4	Seat Back Pivot Point to Tablet	14-1/4"
	Front	

H7—H6—H5—	18 3/8 ON HAR FLOOR	CENTER TO CENTER OF ARMS DIMENSION BACK DIMENSION SEAT DIMENSION V2 H9 V1
12" MIN, TO WALL	ANCHOR HOLES	H10

H7 H6 H14	CENTER TO CENTER OF ARMS DIMENSION BACK DIMENSION
18 3/8" ON HARD FLOOR	SEAT DIMENSION V3
H2 H9-	
12° H3 — H3 — WALL H1 — H1 — H3	H10

Printed on FSC® certified paper, using only vegetable-based inks, including metallics. Please recycle.



KI is a trusted expert for furniture and wall systems around the globe.

USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST | AUSTRALIA

1330 Bellevue Street • P. O. Box 8100 • Green Bay, WI 54308-8100 • I-800-424-2432 • www.ki.com

